

## Message Text

UNCLASSIFIED

PAGE 01 JAKARTA 10594 01 OF 02 130825Z

12

ACTION EA-09

INFO OCT-01 ISO-00 EB-07 /017 W

----- 111761

R 130225Z AUG 76

FM AMEMBASSY JAKARTA

TO USDOC WASHDC

AMEMBASSY SINGAPORE

INFO SECSTATE WASHDC 968

AMEMBASSY MANILA

AMCONGEN HONG KONG

AMCONSUL SURABAYA

AMCONSUL MEDAN

UNCLAS SECTION 1 OF 2 JAKARTA 10594/1

MANILA FOR: US/ADB REPRESENTATIVE

E.O. 11652: N.A.

TAGS: BTIO, ID

SUBJ: FOREIGN GOVERNMENT TENDER

1. 560/01/T004

2. 081276

3. ROSOENOTO

4. 560 INDONESIA

5. N -- DIRECTORATE GENERAL OF COOPERATIVES

6. A. WRITE TO --

B. PROJECT DEVELOPMENT OFFICE

C. DIRECTORATE GENERAL OF COOPERATIVES, JALAN LET.JEND.HARYONO M.T

TROMOL POS 384, JAKARTA SELATAN, INDONESIA.

7. --

UNCLASSIFIED

UNCLASSIFIED

PAGE 02 JAKARTA 10594 01 OF 02 130825Z

8. 110576 10:00 A.M.

9. 201

10. GOI DEPT. OF MANPOWER, TRANSMIGRATION AND COOPERATIVES,  
EXECUTING AGENCY, DIRECTORATE GENRAL OF COOPERATIVES,  
INVITES BIDS FOR PURCHASE OF WORKSHOP-AND TRAINING CENTER  
EQUIPMENT FOR THE EAST JAVA AGRICULTURE CREDIT PROJECT UNDER  
ASIAN DEVELOPMENT BANK LOAN NO. 197 8,9(SF):

A. WORKSHOP EQUIPMENTS

1. EIGHTEEN ARC WELDING SET COMPLETE, VOLTAGE 25 - 35  
VOLT (OPEN CIRCUIT VOLTAGE) AND 75 - 85 VOLT WITH 250  
A CONTINOUS RATED CURRENT AND 60 -280 A CURRENT  
RANGE. MAIN SUPPLY 220 VOLT, 3 PHASE, 50 CYCLE.

2. ONE HYDRAULIC JACK, 1-1/2- 8 TONS CAP. WITH 7 INCH  
MINIMUM H.T. AND 19-3/4 INCH MAXIMUM H.T.

3. TWENTY-THREE HYDRAULIC SERVICE JACKS WITH 6 INCH FRAME  
HEIGHT POINT, 4 INCH SADDLE LOWER POINT, 20-1/2 INCH  
SADDLE HIGH POINT, 16-1/2 INCH LIFTING RANGE, 30-1/4 INCH  
FRMAE LENGTH AND 15 INCH WIDTH.

4. TWENTY-THREE TACKLE BLOCKS WITH SHEAVE SIZE 8 INCH X  
1.5/8 INCH X 3/4 INCH AND 3800 6200 LBS. CAP.

5. ONE 4000 LB CAP. ELECTRIC HOIST, PUSH BUTTON TYPE,  
10 - 15 FT. LIFTER AND DRIVE 220 VOLT ELECTRIC, THREE  
PHASE, 50 CYCLE/SEC., 1 H.P.

6. TWENTY-SEVEN HEAVY DUTY GREASE GUNS, DUAL PRESSURE  
RANGE, GUN COMPLETE WITH ALL FITTINGS WITH 18 - 21 OZS  
CAP. AND 20 INCH - 26 INCH LENGTH.

7. TWENTY-THREE HEAVY DUTY PUMPS OILERS, SUITABLE FOR  
THUMB LEVER ACTION WITH ALL STEEL BALL VALVES AND  
BRONZE SPRINGS AND OUTPUT 1 - 150 DROP PER STROKE.

8. TWENTY-THREE HAND TYPE TACHOMETERS, 0 - 5000 RPM AND  
UNCLASSIFIED

UNCLASSIFIED

PAGE 03 JAKARTA 10594 01 OF 02 130825Z

0 - 3000 RPM RANGE WITH ALL ACCESSORIES, SHOULD BE OF  
3 RANGE UNIVERSAL TYPE.

9. EIGHTEEN TORCHES AND BURNERS WITH LIGHT AND HEAVY DUTY  
PORTABLE L.P. GAS TORCHES FOR PRE-HEATING, SOLDERING,  
AND BENDING UP 2 INCH THICK METAL, INCLUDING ALL OTHER  
ACCESSORIES.

10. MEASURING RULES

TEN TWO FT. CARPENTERS SQUARE, TEN 12 INCH LENGTH VERNIER WITH 24 DIAMETER RANGE; TEN SETS OF CALIPERS/ DIVIDERS WITH 3INCH - 12 INCH SIZE; TEN MICROMETERS OF 0 - 1 INCH; TEN MICROMETERS OF 0 - 25 MM; TEN 9 LEAVES FEELER GAUGE, SIZE 1/2 INCH X 1/4 INCH X 3.1/16 INCH.

11. FIVE SETS HIGH SPEED REAMERS, SIZE 1/8 INCH - 9/16 INCH; FIVE SETS CARBIDE TIPPED CHUCKING REAMERS, SIZE 3/16 INCH - 11/16 INCH.

12. SIX SETS PROTABLE DRILL SUITABLE FOR 220 VOLT, 5 PHASE A.C. 50 CYCLE, 1/4 INCH - 3/8 INCH SIZE.

13. MAILING

ONE SET EACH CARBIDE FACING CUTTER AND MILL WITH SIZES OF EACH MIL 7/8 INCH DIAMETER, 1 INCH DIAMETER AND 1-1/8 INCH DIAMETER; ONE SET HIGH SPEED STEEL SHELL AND MILL WITH 1-1/4 INCH - E INCH DIAMETER; INVOLUTE SPUR GEAR CUTTERS OF FORM NO. 1 WITH TEETH TO A RACK135, FORM NO. 2 WITH TEETH TO A RACK 55 - 134, FORM NO. 3 WITH TEETH TO A RACK 35- 54, FORM NO. 4 WITH TEETH A RACK 26 -34.

14. ONE SET OF 3 MM - 16 MM METRIC TAPS WITH FRACTIONAL SIZE 1/16 INCH - 2 INCH.

15. DIES

ONE SET OF 1/16 INCH - 1 INCH LITTLE GIANT ADJUSTABLE COLLETS - STOCKS DIES AND ONE SET OF 1/16 INCH - 1 INCH LITTLE GIANT DIE STROKES COLLETS - STOCKS DIES; ONE SET OF 1/16 INCH - 1 INCH H.S. STEEL ROUND ADJUSTABLE SPLIT UNCLASSIFIED

UNCLASSIFIED

PAGE 04 JAKART 10594 01 OF 02 130825Z

COLLETS - STOCK DIES; ONE SET OF 3 MM - 16 MM METRIC ADJUSTABLE SPLIT COLLETS - STOCKS DIES.

16 DRILLS

FIVE SETS STRAIGHT SHANK H.S.S. DRILL, SIZE 1/16 INCH - 11/12 INCH; THREE SETS CARBIDE TIPPED TWIST DRILL, SIZE 1/16 INCH - 11/12 INCH; THREE SETS HEAVY DUTY DRILL, SIZE 1/64 INCH - 11/12 INCH; FIVE SETS REVOLVING STAND DRILL, SIZE 1/16 INCH - 1/2 INCH; ONE SET OF COMPLETE METRIC DRILL AND THREE SETS CARBIDE DRILL AND COUNTER SINKS, SIZE 3/64 INCH - 7/32 INCH.

17. FILES

FIVE SETS FIAT FILES; FIVE SETS MILL FILES; FIVE SETS HALF ROUND FILES AND FIVE SETSHROUND FILES.

18. GRINDING WHEELS

FIVE SETS OF 4 INCH DIAMETER AND 1/2 INCH THICK  
GRINDING WHEELS; FIVE SETS OF 6 INCH DIAMETER AND  
1/2 INCH THICK GRINDING WHEELS; FIVE SETS OF 6 INCH  
DIAMETER AND 3/4 INCH THICK GRINDING WHEELS.

19. ONE BENCH GRINDER FOR GENERAL PURPOSE 6 INCH WHEEL  
WITH ADJUSTABLE TOOL REST, 1/3 H.P. MOTOR, 110 VOLT  
SINGLE PHASE, SUPPLY COMPLETE WITH GEARED COVER  
CONDUCTOR CARD AND SPARK TRACK.

20. TWENTY-THREE BENCH VISSES, 5 INCH JAW WIDTH AND 6  
INCH MAXIMUM OPENING.

21. FOUR VALVE SEAT CUTTERS.

22. THREE PISTON RING INSTALLATION TOOLS.

23. TWO INJECTION NOZZLE TESTERS.

24. ONE INJECTION PUMPS SET AND CALIBRATION BENCH SUTIABLE  
FOR FUEL PUMP OF 6 - 15 H.P. ENGINE.

25. EIGHTEEN COMPLETE SETS OF HAND TOOLS INCLUDING  
OPEN WRENCHES, RING SPANNERS, 1/2 INCH DRIVE SPROCKET  
UNCLASSIFIED

UNCLASSIFIED

PAGE 05 JAKARTA 10594 01 OF 02 130825Z

SET, TORQUE WRENCH, ALL HEAD WRENCHES ETC.

26. NINETEEN SETS OF FEELER GAUGE.

27. SIXTEEN TUBE VULCANIZING KIT.

28. EIGHTEEN SETS OF GEAR/BEARING PULLERS.

29. EIGHTEEN SETS OF 0 - 150 MM INSIDE/OUTSIDE MICRO-  
METER.

30. ONE MOBILE GANTRY, APPROX, 5 TONS CAP., BOTH CENTER  
AND SIDE LIFT 5 TONS LOADS, ALL STEEL CONSTRUCTION,  
FITTED WITH BALL AND THRUST BEARING CASTORS, FOUR  
SCREW DOWN JACKS TO MAKE GANTRY STATIONARY, TWO IN-  
DEPENDENT TROLLEYS, SELF-SUSTAINING, WORM GEAR TYPE,  
RATCHET SAFETY PAWL, HEAVY DUTY DROPPED FORGED HOOKS WITH  
CABLES, 50 PERCENT OVERLOAD AND SAFETY FACTOR WITH  
FOLLOWING DIMESNION OF CLOSE: 3.4 - 5 M ADJUSTABLE  
HEIGHT, 3.8 M DISTANCE BETWEEN UPRIGHTS, 4 M MAX.  
HEIGHT OF HOOK, 2 M MINIMUM AND 3 MAXIMUM LENGTH OF  
BASE LEGS, 5 TONS CAP. OF SIDE LIFE 2 HOOKS AND 5

TONS CAP. OF CENTER LIFE 2 HOOKS.

UNCLASSIFIED

NNN

UNCLASSIFIED

PAGE 01 JAKARTA 10594 02 OF 02 130839Z

22

ACTION EA-09

INFO OCT-01 ISO-00 EB-07 /017 W

----- 111918

R 130225Z AUG 76

FM AMEMBASSY JAKARTA

TO USDOC WASHDC

AMEMBASSY SINGAPORE

INFO SECSTATE WASHDC 699

AMEMBASSY MANILA

AMCONGEN HONG KONG

AMCONSUL SURABAYA

AMCONSUL MEDAN

UNCLAS SECTION 2 OF 2 JAKARTA 10594/2

MANILA FOR: US/ADB REPRESENTATIVE

31. SIX ELECTRIC SOLDERING IRONS, EACH EQUIPPED WITH 1/4 INCH, 5/8INCH, 7/8 INCH, INTERCHANGEABLE TIPS, 100 WATTS AND 200 WATTS CAPACITY TO SUIT AN ELECTRICITY OF SINGLE PHASE, 200/220 V.

32. TWO COLUMN DRILLING MACHINES, 3/4 INCH DRILLING CAP., 100 MM SPINDLE TRAVERSE, 5 (470-3000 RPM) SPINDEL SPEEDS, 0.6 HP MOTO, 675 MM MAXIMUM INSTANCE BETWEEN SPINDLE AND TABLE, 1025 MM MAXIMUM DISTANCE BETWEEN SPINDLE AND BASE, 250 X 250 MM TABLE DIMENSION. 100 MM DRILLING DEPT# 190 MM DISTANCE FROM PILLAR TO SPINDLE, 1600 MM HEIGHT OF MACHINE WITH STANDARD EQUIPMENT MOTOR AND BUILT IN LIGHTNING. BASE WITH T SLOTS, SQUARE TABLE WITH T SLOTS.

33. ONE HEAVY DUTY RADIAL DRILL, FLOOR TYPE, 1-1/3 HP ELECTRIC MOTOR, 220 VOLTS, 3-PHASE, 50 CYCLES, FULLY ENCLOSED VENTILATED TYPE, A.C. COMPLETE WITH 10 FEET LONG INPUT CABLE SPEED SELECTION SWITCH, DRILL SPECIFICATION SHOULD BE APPROX. 1-9/16 INCH DRILLING CAP. IN STEEL, 11 INCH SPINDLE TRAVERSE, 360 DEGREES SWIVEL

OF ARM, MINIMUM 12 NUMBER OF SPINDLE SPEESS, AUTOMATIC  
UNCLASSIFIED

UNCLASSIFIED

PAGE 02 JAKART 10594 02 OF 02 130839Z

FEED, 50 - 2000 RPM RANGE OF SPINDLE SPEEDS, 39 INCH  
MAXIMUM DRILLING RADIUS, 11 INCH MINIMUM DRILLING  
RADIUS, 9-1/2 INCH PILLAR'S DIMATER, MAXIMUM 49 INCH  
AND MINIMUM 14 INCH DISTANCE BETWEEN SPINDLE AND  
BASE, 25 INCH X 21 INCH X 21 INCH WORKING TABLE,  
APPROX. 25 INCH X 21INCH WORKING SURFACE OF TABLE,  
47 INCH X 30 INCH WORKING SURFACE OF BASE WITH T  
SLOTS AND 67 INCH X 30 INCH BASE WITH T  
SLOTS AND 67 INCH X 30 INCH BASE DIMENSIONS.

34. ONE COMPLETE UNIT OF AIR COMPRESSOR, CAPABLE OF  
DELIVERING 1.5 .3/MIN, AND PRESUR OF 8 KG/C2.  
TANK 1000 LITERS.

35. ONE THREAD CUTTING MACHINE, THREADING CAP., W 1/4  
INCH - W 2 INCH WHITWORTH, 35 - 75 RPM SPEEDS (TWO),  
200 . ./. LENGTH OF THREAD, COMPLETE WITH DIE HEAD  
TUBE CUTTER AND ACCESSORIES SUCH AS COLLANT PUMP,  
DIE HOLDER ETC.

36. ONE SURFACE GRINDER WITH ELECTRICAL EQUIPMENT FOR  
220 VOLT 3-PHASE 50 CYCLE A.C. PLUS ADJUSTABLE  
COVER FOR THE GRINDING WHEEL, GRINDING WHEEL FLANGE,  
FLANGE EXTRACTOR AND ONE SET OF WRENCHES.

37. ONE HIGH SPEED HACK SAW WITH COOLANT CIRCUIT. CAPACITY  
UP TO (ROUND MATERIAL) 240 MM, 80/100/125 NUMBER OF  
STROKE PER MIN, (SPEEDS), 1600 X 700 X 130 MM DIMENSION,  
2 H.P. , 220 VOLT, 3 PHASE, 50 CYCLE MOTOR.

38. ONE KEY SEATING MACHINE, TILTING HEAD TYPE AND SUITABLE  
FOR ANY KEY WIDTH.

39 . ONE COMPLETE 6 HP MOTOR HIGH SPEED LATHE, 220 VOLTS,  
3-PHASE, 50 CYCLE, 7.5 INCH THREE JAW CHUCK OF MECHA-  
NITE, COLLANT TANK IN CABINET STAND AND CHIP PAN INCL.  
PUMP AND PIPE FITTINGS.

40. ONE MILLING MACHINE INCL. VERTICAL MILLINGHEAD, 6 H.P.N  
220 VOLT, 3-PHASE, A.C., 50 CYCLES GEARING 12 SPINDLE  
SPEED (35 - 1500 RPM).

UNCLASSIFIED

UNCLASSIFIED

PAGE 03 JAKART 10594 02 OF 02 130839Z

41. ONE STANDARD SHAPING MACHINE WITH GEAR BOX FOR DIRECT DRIVE INCL. ELECTRICAL EQUIPMENT WITH 200/220 VOLT MOTOR, 3-PHASE A.C., 50 CYCLES, PLUS EXTRA ACCESSORIES.

42. ONE FT. OPERATED POWER BENDING MACHINE FOR FORWARD AND REVERSE SPEED.

43. ONE 35 ONS CAP. HYDRAULIC PRESS.

44. ONE GEAR HOBING MACHINE.

45. TWO POWER WALKER PALLET TRUCKS, 2 SPEED FORWARD AND 2 SPEED REVERSE, 12 VOLTS ELECTRICAL SYSTEM SUPPLIER 340 AMP. HRS. INCLUDING BATTERY CHARGES.

46. ONE SET BOW MICROMETER WITH INCHES RANGE 0 -4 ,  
2 -6,6 - 9 AND 9 - 12.

47. ONE 10 - 15 TONS CAP. BLACK SMITHEY SHOP PNEUMATIC HAMMER.

48. THREE SETS BALL PEIN HAMMERS WITH 2 9" - 48 OZ W.T.

49. ONE SET OF NAIL AND RIPPING HAMMERS, 12 OZ - 24 OZ.

50. ONE ELECTRIC POWER STAPLE TACKERS SUITABLE FOR 100 VOLT AC SUPPLY 50 CYCLE STAPLE, SIZE 3/8 INCH WITH ACCESSORIES.

B. TRAINING CENTER EQUIPMENT.

1. THREE PRECISION SLIDE COMPASSES, ACCURACY OF BETTER THAN APPROX. 0.005 INCH, MUST BE DOUBLE BLADE SLIDE RIDES ON BEARINGS, ONE OF WHICH IS MOVABLE.

2. ONE ELECTRONIC SLIDE RULE FOR FUNCTION SUCH AS TO READ TRICONOMY, LOG, RADIONS, ROOTS, DEGREE AND CONVERSION.

3. ONE HORIZONTAL AND VERTICAL TRUNING BY LOCKING ADJUSTABLE DRAWING TABLE, 31 INCH WIDTH, 42 INCH LENGTH AND 3/4 INCH THICKNESS.

UNCLASSIFIED

UNCLASSIFIED

PAGE 04 JAKART 10594 02 OF 02 130839Z

4. THREE DIRECT READING PLANIMETERS FOR MEASURING PLANES AREAS OF ANY SHAPE AND COUNTER, INTEGRATING AREAS UNDER CURVE ETC.

5. ONE NUMBER STAMP, SUITABLE FOR LIGHT OPERATION ON STOCK, SHOP AND ORDER TICKETS, BUSINESS CORRESPONDENCE AND ANY

OTHER STAMP IDENTIFICATION, METAL FRAME AND 16 RUBBER  
BANDS TYPE PREFERED.

6. THREE MAGNETIC CONTROL BOARD KITS,SUITABLE FOR  
PLACE VISUAL AIDS AND CONSISTS OF MAGNETIC CARD  
HOLDER FOR TYPED, WRITTEN OR PRINTED INFORMATION,  
MAGNETIC RUBBER, ROUND AND RECTANGULAR COLORED  
MAGNETS FOR USE AS SYMBOL, TYPING CARDS ETC.

7. THREE SCHEDULE AND CONTRAOL BOARDS, 24 INCH X 42 INCH  
SIZE. TO ESTABLISH AND MAINTENANCE OF PRODUCTION  
CONTROL, MAINTENANCE AND OTHER CONTROLS.

8. ONE DUPLICATING MACHINE, SHOULD BE IDEAL FOR DELI-  
VERING COPIES AT RATE 100 PER MINUTE FROM ORIGINAL  
NET EXCEEDING 24 INCH X 12 INCH.

9. ONE HAND OPERATED BENCH TYPE AND PROTABLE TESTER AND  
DYNAMOMETER, ABLE TO MEASURE, TENSTION, COMPRESSION,  
SHEAR AND TRANSVERSE STREES 0 - 5000 LBS.

10. TWO SETS PROTABLE BRINELL HARDNESS TESTER, TO LIST  
HARDNESS OF METAL ON THE SPOT. TEST INSTRUMENT,  
MICROSCOPE WITH INTEGRAL SCALE, SPECIAL COMPUTING  
DEVICE, RECORDS SHEETS, 3 EXTRA IMPRESSING BALLS  
AND 5 TEST BARS (SPECIFY B.H. NUMBER OF EACH TEST  
BAR) SHOULD BE INCLUDED.

11. ONE AUTOMATIC FILM STRIP AND SLIDE DOWN PROJECTOR  
WITH PUSH BOTTON FILM ADVANCE, AUTOMATIC REWIND  
FILM FOR READY FOR RE USE, OPERATE ON 15-1/2 INCH X  
15-1/2 INCH X 7-1/2 INCH SIZE, 120 VOLT A/C SUPPLY.

12. TWENTY-THREE PRESSURE GAUGES, PRESSURE UP 0 - 600 P.S.I.  
UNCLASSIFIED

UNCLASSIFIED

PAGE 05 JAKART 10594 02 OF 02 130839Z

13. ONE SPIRIT DUPLICATING MACHINE SHOULD BE ABLE TO  
PRODUCE 100 COPIES/MIN. OF LEGAL SIZE SHEETS,  
THE SUPPLY INCLUDE COPY POSTION CONTROL, FEED  
TABLE AND RECEIVING TRAY AND NYLON GEAR DRIVE.

14. ONE MINI COMPUTER WITH PROGRAMING FACILITIES  
USING R.P.G.II OR COBOL WITH CENTRAL PROCESSOR,  
LINE PRINTE, PUNCHED CARD INPUT AND MAGNETIC  
STORAGE DEVICES.

11. U.S. IS LITED IN TENDER ANNOUNCEMENT AS ELIGIBLE SUPPLIER.  
COST OF TENDER DOCUMENTS IS RUPIAH 20,000 (APPROX \$48.19)

PER SET FROM ADDRESS LISTED ITEM SIX ABOVE. COPY OF TENDER  
DOCUMENT BEING FORWARDED COMMERCE ONLY.  
NEWSOM

UNCLASSIFIED

NNN

## Message Attributes

**Automatic Decaptoning:** X  
**Capture Date:** 01 JAN 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 13 AUG 1976  
**Decaption Date:** 01 JAN 1960  
**Decaption Note:**  
**Disposition Action:** n/a  
**Disposition Approved on Date:**  
**Disposition Authority:** n/a  
**Disposition Case Number:** n/a  
**Disposition Comment:**  
**Disposition Date:** 01 JAN 1960  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1976JAKART10594  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** n/a  
**Enclosure:** n/a  
**Executive Order:** N/A  
**Errors:** N/A  
**Film Number:** D760311-0923  
**From:** JAKARTA  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1976/newtext/t19760857/aaaabwup.tel  
**Line Count:** 442  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Office:** ACTION EA  
**Original Classification:** UNCLASSIFIED  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 9  
**Previous Channel Indicators:** n/a  
**Previous Classification:** n/a  
**Previous Handling Restrictions:** n/a  
**Reference:** n/a  
**Review Action:** RELEASED, APPROVED  
**Review Authority:** CunninFX  
**Review Comment:** n/a  
**Review Content Flags:**  
**Review Date:** 12 APR 2004  
**Review Event:**  
**Review Exemptions:** n/a  
**Review History:** RELEASED <12 APR 2004 by ReddocGW>; APPROVED <03 JAN 2005 by CunninFX>  
**Review Markings:**  

Margaret P. Grafeld  
Declassified/Released  
US Department of State  
EO Systematic Review  
04 MAY 2006

**Review Media Identifier:**  
**Review Referrals:** n/a  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** FOREIGN GOVERNMENT TENDER  
**TAGS:** BTIO, ID  
**To:** COM  
SINGAPORE  
**Type:** TE  
**Markings:** Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 04 MAY 2006